



Deutsch 041 462 65 65  
 Français 041 462 65 45  
 Email sperma@suisag.ch

## Bio-Index und Naturalzuchtwerte KB-Eber Edelschwein Mutterlinie - Oktober 2023

Sortiment	Eber - verrat		Vater- père	Bio- Index	Reproduktion						Produktion						Exterieur					DNA-Test				
	Name	Nr. Zeichen	Nr. Zei		RZW	B%	LGF	AUF	ATF	FAR	IAB	PZW	B%	TZS	MTZ	FV	MFA	FIF	FBI	EZW	B%	Typ	Fund	Zitz	Coli	
	nom	no empr.	no empr.		VER	B%	PNV	TPS	TNM	TEP	ISS	VEP	B%	CJA	GMQ	IC	TVM	SV	IQV	VEE	B%	Type	Memb	Tray	F18	F4
T5	Mato	6371 JR7	3074 RU5	141	122	34	-0.08	-1.8	-1.0	+0.6	+0.1	132	41	13	36	-0.03	-0.5	0.27	113	130	44	146	120	108	A/A	R/R
T5	Koi	8542 RU5	9429 JR6	136	141	36	+0.44	-0.3	-0.0	+2.0	+0.8	100	42	12	40	-0.19	1.6	3.42	55	146	43	144	134	136	A/A	R/R
E	Granat	8630 EB5	5129 EB5	136	125	41	+0.43	+0.0	-1.1	+0.8	-0.7	137	44	3	-15	-0.03	0.6	-0.07	137	123	45	92	130	93	A/A	R/S
T5	Ailo	6715 KP1	7759 LXU	134	120	36	-0.17	-1.2	-0.2	+0.9	+0.0	127	42	15	20	-0.09	0.6	-0.01	104	113	45	111	110	111	A/A	R/S
T5	Assel	5633 KX5	8660 JR6	134	121	34	+0.17	-0.5	+0.9	+0.9	-0.9	138	40	1	0	-0.11	1.7	1.00	121	104	42	110	97	127	A/A	R/S
E	Mister	9996 SA3	3354 NS3	133	117	38	-0.40	-2.3	+0.3	+0.6	-0.2	109	39	4	12	-0.10	0.9	1.68	91	133	41	136	126	115	A/A	R/R
E	Ari	8278 RU5	6407 EB5	128	124	35	-0.10	-1.6	+0.6	+0.9	-0.2	104	42	3	-3	-0.17	2.1	1.59	79	111	44	75	114	130	A/A	R/R
T5	Amir	1108 GP2	7810 MK4	126	124	40	+0.40	+0.1	-2.7	+0.5	-0.6	130	42	-5	-21	-0.09	0.5	1.03	119	122	44	117	122	92	A/A	R/R
E	Hutter	8148 RU5	1040 WO6	120	118	38	+0.17	-0.3	-0.8	+0.6	-0.7	129	44	6	17	0.04	-0.2	0.09	127	90	46	103	91	82	A/A	R/S
E	Krux	5102 CG1	3820 RU5	119	121	31	+0.43	-0.0	-1.3	+0.6	-0.0	120	35	-0	3	0.06	0.3	0.68	126	118	38	117	109	140	A/A	R/S
S	Lemon	9694 SA3	4733 KP1	117	125	42	+0.40	-0.1	-0.6	+0.8	-0.8	95	41	-3	-1	-0.07	1.3	2.05	86	129	43	143	121	102	A/A	R/R

29.09.2023



Deutsch 041 462 65 65  
 Français 041 462 65 45  
 Email sperma@suisag.ch

## Bio-Index und Naturalzuchtwerte KB-Eber Landrasse Mutterlinie - Oktober 2023

Sortiment	Eber - verrat		Vater- père	Bio- Index	Reproduktion							Produktion							Exterieur					DNA-Test		
	Name	Nr. Zeichen	Nr. Zeichen		RZW	B%	LGF	AUF	ATF	FAR	IAB	PZW	B%	TZS	MTZ	FV	MFA	FIF	FBI	EZW	B%	Typ	Fund	Zitz	Coli	
	nom	no empr.	no empr.		VER	B%	PNV	TPS	TNM	TEP	ISS	VEP	B%	CJA	GMQ	IC	TVM	SV	IQV	VEE	B%	Type	Memb	Tray	F18	F4
E	Jon	5124 Z01	2493 RM3	<b>129</b>	109	32	+0.25	+0.1	+0.8	+0.7	+0.5	114	40	10	19	-0.02	1.2	2.44	97	125	43	112	129	104	A/A	R/S
E	Cemper	7027 NO8	2790 RM3	<b>122</b>	125	35	+0.55	-0.3	-1.2	+1.2	-0.5	117	42	-0	9	-0.06	0.4	2.77	98	128	45	117	122	121	A/A	S/S
E	Dos	6216 NO8	778 NO8	<b>121</b>	119	35	+0.07	-0.9	+0.1	+1.8	+0.1	118	43	-11	-24	0.01	-0.1	0.54	134	122	47	104	121	115	A/A	R/S
E	Cloud	4981 Z01	840 NO8	<b>119</b>	130	35	+0.56	+0.1	-1.2	+2.2	+0.8	88	41	2	8	0.04	-0.3	0.35	90	119	46	118	119	105	A/A	S/S
E	Cyriak	6286 RM3	9459 NO7	<b>113</b>	121	37	-0.06	-1.6	-1.4	+1.8	+0.2	96	42	2	8	-0.03	0.0	2.71	79	110	46	115	113	96	A/A	S/S
E	Carson	6394 NO8	840 NO8	<b>110</b>	114	37	+0.65	-0.4	+0.5	+0.1	+0.4	106	45	9	27	0.01	-0.4	0.13	97	110	48	97	110	106	A/A	R/S
E	Clas	7662 VJ3	2217 D10	<b>108</b>	113	40	+0.34	-0.7	+1.8	+0.6	-0.3	108	41	-10	-16	-0.02	1.0	1.13	113	114	47	132	108	109	A/A	R/R
E	Cassio	7312 NO8	2312 NO8	<b>106</b>	115	35	+0.16	-1.1	+0.6	+1.1	+0.2	119	43	2	13	-0.07	0.7	0.73	102	114	46	109	106	121	A/A	R/R
S	Dispot	5725 NO8	9632 NO7	<b>103</b>	106	36	+0.55	+0.3	-0.2	-0.6	+0.0	109	41	-3	7	-0.07	0.9	-2.05	103	98	44	77	103	97	A/A	S/S
E	Callum	5621 NO8	124 NO8	<b>99</b>	120	35	+0.23	-0.7	+0.8	+1.7	-0.2	88	42	-4	-14	0.04	-0.3	0.58	101	110	45	125	99	116	A/A	R/S
E	Drap	6328 NO8	4035 Z01	<b>87</b>	118	37	+0.55	+0.6	-0.5	+1.0	-0.0	94	44	-2	-7	-0.00	-0.6	-0.23	98	98	47	103	87	116	A/A	R/S

29.09.2023